



NOTES:

1. SUBSTRATE MATERIAL:
N-BK7
2. COATING (APPLY ACROSS CLEAR APERTURE)

S1 & S2: NIR I (600-1050nm)
R(AVG) ≤0.5% @ 600 - 1050nm



3. FINE GROUND SURFACE

4. RoHS COMPLIANT



**FOR INFORMATION ONLY:
DO NOT MANUFACTURE
PARTS TO THIS DRAWING**

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE
DIMENSIONS ARE FOR REFERENCE ONLY

| | | | | | |
|-----------------|----------------------|----------------------|---|--------|---|
| | S1 | S2 | EFL | 200 |  Edmund Optics® |
| SHAPE | CONVEX | PLANO | BFL | 198.38 | |
| RADIUS | 103.36 | INFINITY | <small>THIRD ANGLE PROJECTION</small>  | TITLE | 25.4mm H X 25.4mm L X 200mm FL NIR I, CYLINDER LENS |
| SURFACE QUALITY | 60-40 | 60-40 | | DWG NO | 36234 |
| CLEAR APERTURE | 22.86 x 22.86 | 22.86 x 22.86 | ALL DIMS IN | mm | |
| BEVEL | PROTECTIVE AS NEEDED | PROTECTIVE AS NEEDED | | | |